

2 plant information

Sun/Shade Tolerance:



Moisture Tolerance:



Wildlife Attractant:



Plants sold as one per container

TREES - EVERGREEN						
	Sun/Shade	Moisture	Wildlife		Size	Price
Cedar, Western Red <i>Thuja plicata</i>					1 GAL 5GAL	\$7 \$25
Hemlock, Western <i>Tsuga heterophylla</i>				Ht: To 160' X Sp: To 40'. Large forest tree, a slow-growing narrow columnar conifer with fine foliage and drooping branchlets. Grows best in dense, moist forests. Uses: lumber, specimen, wood easily carved.	1 GAL	\$7.00
Madrone, Pacific <i>Arbutus menziesii</i>			 Forage	Ht: To 80' X Sp: To 70'. Upright broadleaf evergreen becoming more broadly round with age. Smooth reddish bark, white flowers, red berries. Fast growth, then slows. Must have fast drainage; don't overwater. Uses: specimen or in group. NOTE: While very attractive, this tree litters year 'round.	BAND POT	\$7.00
Pine, Shore <i>Pinus contorta</i>				Ht: to 20-35 ft. Found along the coast from Alaska to California and to the Rocky Mountains. Fast growing, Tolerant of low nutrient conditions. Has an open form with interesting branching patterns. Can be pruned or trained in various ways.	5 GAL	\$25.00
TREES - DECIDIOUS						
	Sun/Shade	Moisture	Wildlife		Size	Price

	Alder, Red <i>Alnus rubra</i>				Ht: To 80' X Sp: 20'. Upright, with attractive compound leaves. Brilliant yellow fall color. Needs moist soil. Uses: best in groves, as backdrop for native shrubs and wildflowers, riparian areas. Wood used for fine furniture, cabinets.	1 GAL	\$6.00
	Ash, Oregon <i>Fraxinus latifolia</i>				Ht: To 75' X Sp: 60'. Will grow in standing water during winter but needs no dry-season water. Olive-green leaves turn yellow in fall. Uses: lumber tree used for furniture, baseball bats and axe handles.	5 GAL	\$25.00
	Cascara <i>Rhamnus purshiana</i>				Ht: 30' X Sp 15' Deciduous tree or large shrub, inconspicuous flowers bloom late spring, dark purple berries ripen late summer. Fast grower, sensitive to air pollution; drought tolerant once established.	1 GAL	\$7.00
	Cherry, Bitter <i>Prunus emarginata</i>				Ht: To 50'X Sp: 30", Deciduous tree, fragrant, white flowers bloom April to May, fruit bitter. Grows best in full sun, with moist soil. Bark is attractive, used in basket-making.	1 GAL	\$6.00
	Crabapple, Pacific <i>Pyrus fusca (Malus fusca)</i>			 Forage	Ht: To 40' X Sp: 15-20'. Upright, with fragrant, pink/white flowers followed by yellow/reddish edible fruits. Good fall color. Moderate growth rate. Needs moist soil. Uses: wildlife tree, ornamental, specimen, riparian, pectin.	1 GAL	\$7.00
TREES - DECIDUOUS		Sun/Shade	Moisture	Wildlife		Size	Price
	Maple, Vine <i>Acer circinatum</i>			 Forage	Ht: To 35' X Sprawling/vine-like. Multi-stemmed upright tree (sun) or broad, spreading shrub (shade). Showy spring color with reddish tinges. Excellent fall colors. Well-drained, moist soils. Uses: understory, espalier, ornamental.	5" Round 1 GAL 5 GAL	\$5 \$7 \$25
NEW	Willow, Scoulers <i>Salix scouleriana</i>				Ht: to 35 ft. Deciduous shrub or small tree. Relatively drought-tolerant willow makes an attractive addition to the hedgerow. Excellent for either upland or wet areas, especially where erosion control is needed and a good tree for the wildlife garden	1 GAL	\$6.00
NEW	Willow, Sitka <i>Salix sitchensis</i>				Ht: to 24 'Brown bracts provide contrast to silvery catkins. Blooms April-June. Occasionally found in non-wetlands. Plant away from drain fields, perforated pipe, septic systems and water and sewer lines.	1 GAL	\$6.00
SHRUBS		Sun/Shade	Moisture	Wildlife		Size	Price

	Currant, Alpine <i>Ribes alpinum</i>				Ht: To 6' X Sp: 6'. A compact, mound-forming shrub with green leaves that turn dull yellow in the fall. Flowers are greenish-yellow and inconspicuous, blooming in April on 1-2" racemes ripening to showy red inedible berries. Uses: hedge.	1 GAL	\$7.00
NEW	Currant, Golden <i>Ribes aureum</i>				Ht: To 9' X Sp: 5'. Upright woody ornamental shrub with golden yellow spicy-fragrant flowers hang in clusters from tall wand-like stems. Berries bitter, shiny red, orange or black with pollination. Grows in moist woods, along streams.	1 GAL	\$7.00
	Currant, Red Flowering <i>Ribes sanguineum</i>			 Forage	Ht: To 10' X Sp: 8'. Deciduous, multi-stemmed, bushy. Bright red flowers in early spring followed by blue-black berries in the fall. Very attractive to hummingbirds. A lovely native plant that needs little care once established.	Bare root 1 GAL 2 GAL 5 GAL	TBD \$7 \$11 \$25
	Dogwood, Red-Osier <i>Cornus sericea</i>				Ht: To 25' X Sp: To 30' (spreads by stolons). Multi-stemmed, upright, dense, deciduous. Flowers, berries, bright red stems pronounced in winter. Fast growth rate. Any soil, prefers moist. Uses: riparian, screen, en masse.	1 GAL	\$7.00
	Dogwood, Yellow Twig <i>Cornus sericea</i>				Variety of the redbud with bright yellow stems in winter.	1 GAL	\$7.00
	Elderberry, Red <i>Sambucus racemosa</i>				Ht: To 10' X Sp: 10'. Deciduous, multi-stemmed, bushy. Creamy white flowers in spring followed by bright red berries. Fast growth rate. Any soil, prefers moist. Uses: windbreak, screen. NOTE: Berries can cause gastric distress in humans if eaten in quantity. Stems, bark, leaves and roots TOXIC to humans.	1 GAL	\$7.00
	Gooseberry, Coastal <i>Ribes divaricatum</i>				Ht: 3-9'. Shrub with arching stems with few to many stout spines at nodes. Flowers with petals of white, pink or red, stamens extending beyond petals. Berries shiny black.	1 GAL	\$7.00
NEW	Honeysuckle, Hairy <i>Lonicera hispidula</i>			 Forage	Ht: To 10'. Climbing deciduous vine. Yellow flowers on many-branched, sometimes hairy vines. Small bunches of bright red berries. Moderate to fast growth rate. Any soil, best in moist. Uses: Best on trees or large shrubs.	1 GAL	\$8.00
SHRUBS		Sun/Shade	Moisture	Wildlife		Size	Price
	Huckleberry, Evergreen <i>Vaccinium ovatum</i>			 Forage	Ht: To 15' (shade) X Sp: To 12' (shade); 5'X3' in sun. Upright, broadleaf evergreen with glossy foliage and edible berries. Slow - moderate growth. Moist, acidic soils. Uses: floral arrangements, screening, woodland, pies/jams.	5" Round 1 GAL 2GAL	\$5 \$7 \$17

	Kinnikinnick <i>Arctostaphylos uva-ursi</i>				Ht: To 3' X Spreads widely. Mat-like broadleaf evergreen ground cover. White flowers/red berries upon establishment. Slow to moderate growth rate. Needs good drainage, prefers sandy soil. Uses: ground cover, erosion control.	1 GAL	\$8.00
	Oceanspray <i>Holodiscus discolor</i>				Ht: To 20' X Sp: To 8'. Deciduous, multi-stemmed, with arching branches. Large clusters of frothy white flowers in spring. Moderate growth rate. Any soil, best in moist. Uses: woodland, background plant.	1 GAL	\$7.00
	Orange, Mock <i>Philadelphus lewisii</i>				Ht: To 12' X Sp: To 6'. Upright, deciduous, multi-stemmed. Very fragrant white flowers in spring. Fast growth rate. Best in moist soils, though can be drought tolerant once established. Uses: hedging, screen, shrub border.	1 GAL	\$7.00
	Oregon Grape, Creeping <i>Mahonia repens</i>				Ht: To 1' X Sp: 3'. Spreads by stolons. Evergreen ground cover. Dull, bluish green leaves, bronze/maroon in winter. Yellow flowers in spring followed by blue berries. Moderate growth rate. Any soil. Uses: dry, sunny banks.	5" Round 1 GAL	\$5 \$7
	Oregon Grape, Tall <i>Mahonia aquifolium</i>				Ht: To 6' X Sp: 5'. Spreads by stolons. Erect evergreen with glossy green leaves, maroon in winter. Yellow flowers in spring followed by edible blue berries. Moderate growth rate. Any soil. Uses: en masse, woodlands, container, jelly.	5" round 1 GAL	\$5 \$7
	Raspberry, Black Cap <i>Rubus leucodermis</i>				Upright to 6' with a whitish skin. Prefers sun and well-drained soil but tolerates shade.. Heavy pruning encourages more fruit production.	1 GAL	\$7.00
NEW	Rose, Baldhip <i>Rosa gymnocarpa</i>				Ht. 5' Pink single flowers and pear shaped orange hips. Blooms in May. Adaptable to forests and shrublands.	1 GAL	\$7.00
	Rose, Nootka <i>Rosa nutkana</i>				Ht: To 10' and can spread in thickets. Multi-stemmed with prickly thorns. Attractive, fragrant purple-pink flowers, 2-3" wide. Showy hips in fall. Uses: forest understory, en masse, screen, fencerow, riparian areas, restoration.	1 GAL	\$7.00
	Rose, Woods <i>Rosa woodsii</i>				Ht: 6'. Prickly to almost thornless. Scented, pink flowers bloom in clusters from late spring to mid summer, followed by red hips. Grows near streams, in open woods. Prefers full sun to part shade and moist soil. Tolerates hot, dry summers and cold winters. Uses: erosion control, attract wildlife	1 GAL	\$6.00
	Salal <i>Gaultheria shallon</i>			 Forage	Ht: To 10' X Spreads by stolons and layering. Broadleaf evergreen forming dense thickets in ideal conditions. Spring blooms followed by purple edible fruits. Slow to establish, then aggressive. Well-drained, moist soils. Prefers filtered shade. Uses: en masse, shrub border, preserves, floral arrangements.	3.5" Pot	\$3.00

	Salmonberry <i>Rubus spectabilis</i>				Ht: To 12', spreading into thickets under ideal conditions. Ornamental purple flowers in late spring followed by yellow to orange red edible fruits. Well-drained, moist soils. Uses: en masse, shrub border, preserves, stream margins.	1 GAL	\$6.00
SHRUBS		Sun/Shade	Moisture			Size	Price
	Serviceberry, Saskatoon <i>Amelanchier alnifolia</i>				Ht: To 10' X broadly spreading. Deciduous, multi-stemmed, arching branches. White flowers in spring, edible summer fruits, good fall color. Moderate growth rate. Well-drained, moist soils. Uses: pies and jams, shrub border, sunny banks.	1 GAL	\$7.00
	Snowberry, Common <i>Symphoricarpos albus</i>				2-6' Adaptable deciduous shrub having attractive foliage and cluster of waxy white berries that persist through winter.	1 GAL	\$6.00
	Spirea, Subalpine <i>Spiraea densiflora</i>				Ht: To 3' X Sp: 3'. Small upright shrub. Dark green deciduous leaves are wooly white beneath, turn yellow in fall. Rosy pink flowers in dense flat-topped clusters to 2" wide in summer. Grows in moist rocky areas, conifer forests, shady beds. Tough, easy to grow.	1 GAL	\$7.00
	Spirea, Western <i>Spiraea douglasii</i>				Ht: to 6'. Erect shrub. Excellent for restoring wetlands and controlling erosion on ditch banks or wet areas. Sprads by rhizomes. Can be grown in shrub beds or as part of a hedgerow. Many pink flowers make it a good nectar plant for butterflies and bees.	1 GAL	\$6.00
	Thimbleberry <i>Rubus parviflorus</i>				Ht: 4'-6' Dense shrub with slender canes grows in forest understory. Large white flowers are followed by red edible fruits. Large, maple-like leaf. Natives used for food and medicinal purposes. Attractive to bees, birds and sphinx moth. Like moist soils, but will tolerate moist slopes. Tolerates full shade but will grow lush with sun.	1 GAL	\$6.00
	Western Wahoo <i>Euonymous occidentali</i>				Ht: 6'-15' Small shrub with purplish red flowers, seeds reddish orange. Good substitute for Burning bush. Does well in riparian areas with plenty of shade. Food source for birds and wildlife. Toxic to dogs, cats and horses.	1GAL	\$9.00
HERBS		Sun/Shade	Moisture	Wildlife	Description	Size	Price
	Agelica, Seacoast <i>Angelica lucida</i>			 Pollinators	Found along coast or coastal praries, 2'-4', Tall, white, globe-shaped flower umbels make a striking border plant. Blooms June-Aug., wetlands or non-wetland riparian. Nectar attracts bees. Natives considered it an important food and medicinal source.	BAND POT	\$4

	Arnica, Heartleaf <i>Arnica montana</i>			 browse	Ht: 2' Rhizomatous perennial, found in moist to dry woods and meadows. yellow daisy-like flowers bloom mid-spring to early summer. Forms an open groundcover. Grow in part shade or dappled light, moist to dry soil high in organic matter. Browse for deer and elk.	BAND POT	\$4
NEW	Aster, Douglas <i>Aster subspicatus</i>				Ht: 2-3" X SP: 2-3'. Multistemmed perennial with pale lavender-blue daisylike flowers from midsummer to midfall. Somewhat drought tolerant, but does best with summer water. Uses: Moist meadow or wildflower gardens, back of perennial border, host for endangered butterflies.	3.5" pot	\$3
NEW	Aster, Eaton's <i>Aster eatonii</i>				Ht. 2-4' Deciduous, rhizomatous perennial. Often pink flowered, prefers moist places. Blooms late summer	1 GAL	\$7
NEW	Biscuitroot, Purple <i>Lomatium columbianum</i>				Ht: to 2'. Also called Desert-parsley. Ferny foliage. Clusters of tiny purple flowers. Plant in well-drained, rather dry soil. Beautiful and unusual plant for rock garden or butterfly garden.	BAND POT	\$4.00
HERBS		Sun/Shade	Moisture	Wildlife	Description	Size	Price
	Blanket Flower <i>Gaillardia aristata</i>				Ht: 3'. Herbaceous perennial forming larger clumps each year. Red/yellow flowers from spring to frost. Prefers hot, dry, sandy situations. Uses: dry garden, wildflower garden.	BANDPOT 1 GAL	\$4 \$7
	Bleeding Heart, Western <i>Dicentra formosa</i>				Ht: To 18". Herbaceous perennial. Pendant pale to deep rose flowers on red stems. Blue-green fern-like foliage. Prefers moist, shady situations. Uses: moist woodlands and shady flower borders.	3.5"POT 1 GAL	\$3 \$7
	Brodiaea, Douglas' (Hyacinth, Wild) <i>Brodiaea douglasii</i>				Ht: to 24" Native of grassy prairies and ponderosa forests. Blue flowers Apr-June. Needs full sun and dry to slightly moist soils. Needs cold winter to germinate. The corm is eaten by rodents and also was food for Indians and settlers. Syn. <i>Triteleia douglasii</i>	BAND POT	\$4.00
NEW	Brodiaea, Harvest <i>Brodiaea elegans</i>				Ht: 16". Flowers are long-funnel shaped, violet to blue-purple and bloom mid-spring to mid-summer after leaves dry. Plants go dormant after blooming and prefer to dry out. Lovely plant for rock garden preferably away from irrigation.	BAND POT	\$4.00
	Bunchberry <i>Cornus canadensis</i>			 Forage	Ht: 6-9" X spreads by stolons. Deciduous ground cover. Pure white bracts in spring followed by red berries in late summer. Hard to establish, best in full shade. Any rich, acidic, moisture-retentive soil. Uses: companion plant for ferns, lilies, and trilliums; bank stabilization.	3" SQUARE	\$5.00

	Camas, Common <i>Camassia quamash</i>				Ht: To 2'. Bulb with pale to deep blue/violet flowers on terminal spikes, grass-like leaves. Member of the lily family. Blooms April to June. Noted in journals of Lewis and Clark in 1806. Likes heavy soil.	BAND POT	\$4.00
NEW	Camas, Great Creamy White <i>Camassia leichtlinii var. leichtlinii</i>				Ht: 2-3' X Sp: 6". Bulb. Creamy white flowers on long stems; strappy leaves. Late spring/early summer bloom. Goes dormant in summer. Moderate growth rate. Needs moist, rich, humusy soil. Uses: sunny perennial border.	BAND POT	\$4.00
	Camas, Great Purple <i>Camassia leichtlinii var. suksdorfii</i>				Ht: 2-3' X sp: 6". Bulb. Dark blue-violet star-like flowers on long stems; strappy leaves. Late spring/early summer bloom. Goes dormant in summer. Moderate growth rate. Needs moist, rich humusy soil. Uses: sunny perennial border.	BAND POT	\$4.00
	Checkermallow, Meadow <i>Sidalcea campestris</i>				Ht: 1.5 - 6'. White to pale pink flowers on hairy stems in late summer, look like miniature hollyhocks. Long stalked, scalloped leaves. Preferred habitat for endangered butterfly species.	3.5" POT	\$3.00
NEW	Cinquefoil, Sticky <i>Potentilla glandulosa</i>				Ht: to 28". Foliage has sticky, glandular hairs. Leaves are up to 1' long. Pale yellow blossoms are 1" across and bloom late spring to mid-summer. Lovely species for wildflower meadow, dry bank or openings in woodland or wildlife garden.	3.5" POT	\$3.00
	Columbine, Blue <i>Aquilegia caerulea</i>				Ht: To 3'. Herbaceous perennial. Blue and white flowers held erect over foliage in spring/early summer. Moderate growth rate. Prefers sunny, moist conditions. Uses: perennial borders, native woodlands, rock gardens.	BAND POT	\$4.00
	Columbine, Red <i>Aquilegia formosa</i>				Ht: To 3'. Herbaceous perennial. Red and yellow flowers held erect over foliage in spring/early summer. Moderate growth rate. Prefers sunny, moist conditions. Uses: perennial borders, native woodlands, rock gardens.	BAND POT	\$4.00
HERBS		Sun/Shade	Moisture	Wildlife	Description	Size	Price
	Fringecup <i>Tellima grandiflora</i>				Ht: To 1' . This herbaceous perennial blooms in late spring and displays greenish-white to pink urn-shaped flowers on 1' spikes. Leaves are light green, softly hairy, to 4" across. Choice plant to combine with ferns in a woodland setting.	3.5" POT	\$3.00
	Geranium, Western <i>Geranium oreganum</i>				Rapidly growing perennial found in moist meadows and shaded forests. Pink-purple flower bloom in May-July. Grows in part sun or shade and moist to dry well-drained soil.	1 GAL	\$7.00

	Ginger, Wild <i>Asarum caudatum</i>				Ht: To 10". Herbaceous perennial. Glossy, heart-shaped leaves with chocolate/maroon flowers under leaves. Slow to moderate growth rate. Prefers shade with regular moisture. Uses: ground cover. NOTE: Bait for slugs.	3.5" POT	\$3.00
	Goat's Beard <i>Aruncus dioicus</i>				Ht: To 6' X Sp: To 6'. Herbaceous perennial. Ferny foliage with tiny white flowers in spring/summer. Fast growth rate. Prefers moist situations in partial to full shade. Uses: woodland, background planting in shrub border.	1 GAL	\$7.00
	Grass, Blue-eyed <i>Sisyrinchium idahoense</i>				Ht: To 16". Long, very narrow, mostly basal leaves. Flowers blue to bluish-purple, often with yellow "eye" in terminal clusters of 1-5 flowers.	3.5" POT	\$3.00
	Grass, Golden-eyed <i>Sisyrinchium californicum</i>				Ht: To 15". Yellow flowers open in May to June. Related to iris. Prefers wet, low, poorly drained soil.	BAND POT	\$4.00
NEW	Grass, Tufted Hair <i>Deschampsia cespitosa</i>				Clump-forming, cool season grass forming dark green tussock to 16". Numerous variably-colored flower stems rise to 3' in summer and remain interesting in winter. One of few ornamental grasses that grow well in shade.	1 GAL	\$6.00
	Inside-Out Flower <i>Vancouveria hexandra</i>				Ht: 1' X Spread by rhizomes. Herbaceous perennial. Erect habit with dainty white flowers in spring. Moderate growth rate. Prefers moist situation in filtered to full shade. Uses: ground cover, front of shrub border.	3.5" POT	\$3.00
	Iris, Oregon <i>Iris tenax</i>				Ht: To 18" X spread by rhizomes. Low-growing, tufted perennial. Spring flowers of lavender to purple on erect stems over grass-like leaves. Uses: rock gardens, flower borders, wildflower garden, bank stabilization.	BAND POT	\$4.00
	Iris, Rocky Mountain <i>Iris missouriensis</i>				Slender-stemmed 1-2 ft. high. One to four pale lilac flowers per stem bloom May & June. Native to marshes and wet meadows. Can tolerate drier areas if moist until flowering. Will spread to form colonies. Rhizomes have low toxicity if ingested, minor skin irritation.	BAND POT	\$4.00
	Larkspur, Colombian <i>Delphinium trollifolium</i>				Ht: To 2' X Sp: To 2'. Herbaceous perennial. Light to dark blue flowers in early summer. Need rich, porous soil in moist situation. Uses: flower border, cut flower. NOTE: All parts of delphinium spp. are TOXIC if ingested. Poisonous to horses and cattle.	BAND POT	\$4.00
	Lily, Yellow Fawn (Glacier) <i>Erythronium grandiflorum</i>				Ht: To 16". Herbaceous perennial from corm. Bright yellow flowers in the spring. Prefers moist, shady situations but does fine in any well drained soil. Uses: woodland garden, along stream bank or pond.	BAND POT	\$4.00
NEW	Lily, Ookow, Forktooth <i>Dichelostemma congestum</i>				Ht: to 2'. Leafless, flowering stem of lavender to bluish purple flowers crowded into a dense head-like umbel. Lovely spring-blooming species for dry parts of wildflower meadow, well-drained slope or rock garden.	BAND POT	\$4.00

HERBS		Sun/Shade	Moisture	Wildlife	Description	Size	Price
NEW	Lily-of-the-Valley, False <i>Maianthemum dilatatum</i>				Ht: To 10". Herbaceous perennial. Waxy white flowers in spring above heart-shaped leaves. Showy green berries in summer, turning red. Prefers shady, moist situations. Uses: woodland garden, shady borders, stream bank/pond.	3.5" POT	\$3.00
	Lupine, Big Leaf <i>Lupinus polyphyllus</i>				Ht: To 4'. Herbaceous perennial. Tall spires of blue to purple flowers above attractive foliage in late spring/early summer. Any well-drained, moist soil. Uses: en masse, naturalized in moist meadow.	BAND POT	\$4.00
	Milkweed, Narrow-leaved <i>Asclepias fascicularis</i>				Ht: 2.5' Grows in dry to moist soil in open habitats. Narrow leaves, purplish pink flowers bloom from early summer to early fall. Grown in full sun and fast-draining moist to dryish soil. Sap is poisonous. Uses: butterfly garden, fiber for cordage	BAND POT	\$4.00
	Milkweed, Orange <i>Asclepias tuberosa</i>				Ht: 1.5-2 ft. Large, flat-topped clusters of bright orange flowers. Drought tolerant, needs full sun. Easily propagated from rhizomes and seeds.	BAND POT	\$4.00
	Milkweed, Showy <i>Asclepias speciosa</i>				Ht: To 3'X Sp: 3'. Perennial on sturdy stem. Pink-purple flowers in spring and summer. Showy, hairy seedheads. Uses: wildflower garden, open meadows. NOTE: can be TOXIC if ingested.	BAND POT	\$4.00
	Monkeyflower, purple <i>Mimulus lewisii</i>				Ht: To 20". Herbaceous perennial. Rose purple flowers in spring. Must have moist to wet conditions and give shade in hottest sites. Uses: stream banks, wet/sunny places in the wild garden.	BAND POT	\$3.00
	Monkeyflower, Scarlet <i>Mimulus cardinalis</i>				Ht: To 2 1/2'. Upright or sprawling stems and bright green, sticky 1-3" leaves. Tubular scarlet 1 1/2" to 2" long flowers bloom throughout summer. Needs ample water.	3.5" POT	\$3.00
	Monkeyflower, Yellow <i>Mimulus guttatus</i>				Ht: 2-3'X Sp: 1-2'. Deciduous perennial. Large, trumpet-shaped yellow flowers bloom from spring to fall. Uses: meadow gardens, near ponds & wetlands, containers	3.5" Pot	\$3.00
	Onion, Nodding <i>Allium cernuum</i>				Ht: To 40". Perennial from oval clustered bulbs, smelling strongly of onion. Flowers pink to rose-purple or white, bell shaped, numerous in nodding, umbrella-shaped clusters. Grass-like leaves remain green through flowering.	3.5" POT	\$3.00
	Oregon Sunshine <i>Eriophyllum lanatum</i>				Ht: To 2'. Herbaceous perennial. Clump-forming plant with yellow flowers from May-August; grayish foliage. Flowers best in full sun. Any well-drained soil. Uses: wildflower garden, rock garden, perennial border.	3.5" POT	\$3.00

	Oxalis, Oregon <i>Oxalis oregana</i>				Ht: 8" Prostrate perennial. Numerous, large, clover-like leaves. Flowers white to pale pinkish, blooms April to August. Aggressive spreader.	3.5" POT	\$3.00
NEW	Pearly Everlasting <i>Anaphalis margaritacea</i>				Ht: to 3'. Common name derived from the pearly-white bracts that retain their color and shape when dried, making attractive dry bouquets. Blooms mid-summer until early fall. This species is happy in most any spot	1 GAL	\$7.00
NEW	Penstemon, Glaucous <i>Penstemon euglaucus</i>				Ht: to 3'. Leaves are triangular in shape up to 4" long. Large open inflorescences produce many blue-violet flowers to 1" long from late spring to mid-summer. The brilliant flowers make it a fine, tall species for the hummingbird garden or border.	3.5" POT	\$3.00
HERBS		Sun/Shade	Moisture	Wildlife	Description	Size	Price
	Penstemon (Rattan's beardtongue) <i>Penstemon rattanii</i>				Ht: 1'-3'. Perennial, evergreen foliage. Violet flowers bloom in May and June. Needs good drainage and part shade or protection from hot afternoon sun. Use in bird and bee garden.	3.5" POT	\$3.00
	Piggyback Plant <i>Tolmiea menziesii</i>				Mounds of scalloped leaves make it a handsome semi-evergreen groundcover in shady areas. Slender flower stalks 1-3'tall bloom April-June with small flowers. Found in damp forests and stream banks, Prefers shade and tolerant of wet soil.	3.5" POT	\$3.00
	Shooting Star, Henderson's <i>Dodecatheon hendersonii</i>				Ht: To 2'. Herbaceous perennial. Clusters of flowers atop leafless stem range from white to magenta in spring. Basal rosettes dry up in summer heat. Prefers moist conditions in rich, well-drained soil. Uses: woodland, containers.	3.5" POT	\$3.00
NEW	Solomon's Seal, False <i>Maianthemum racemosum</i>			 Pollinators	Ht: To 3'. Herbaceous perennial. Dainty white flowers in spring held above lance-shaped leaves. Green berries in summer turning red. Uses: woodlands, moist borders, riparian areas. Note: Formerly Smiladna racemosa.	5" ROUND	\$5.00
	Stonecrop, Oregon <i>Sedum Oreganum</i>				HT: To 8" X spreads widely, even aggressively. Succulent perennial with tiny leaves, bearing yellow flowers on short stalks in summer. Best in full sun, well-drained soil, little summer water. Uses: rock garden, open forest settings.	3.5" Pot	\$3.00
	Strawberry, Alpine <i>Fragaria virginiana</i>				Ht: 1' X Sp: 1'. Herbaceous perennial. White flowers in mid-spring produce edible fruits. Any good quality, well-drained garden soil. Uses: container, ground cover, plant to attract pollinators. NOTE: Fruits are small.	3.5" POT	\$3.00

NEW	Strawberry, Woodland <i>Fragaria vesca</i>				Ht: 2-5" X Sp: 6-8". Deciduous, trailing perennial. Flowers bloom in spring followed by small, intensely flavored berries. Rich, moist, well-drained soil. Uses: ground cover for open, partly shaded spaces	3.5" Pot	\$3.00
	Thrift (Seapink) <i>Armeria maritima</i>				Ht: 4-16". Tufted mounds spread to 1'; leaves are 6" long. White to rose pink flowers in tight clusters atop 6-10" stalks. Bloom is profuse in spring; goes on almost all year in mildest climates. Uses: sunny border, rock gardens.	3.5" Pot	\$3.00
NEW	Trillium, Western <i>Trillium ovatum</i>			 Forage	Ht: To 16". Herbaceous perennial. Showy 3-petaled flowers in white or tinged pink in spring, above 3 leaves. Needs shady, moist situations. Uses: shady part of wildflower garden, among ferns or azaleas, woodland.	1 GAL	\$9.00
NEW	Vanilla Leaf <i>Achlys triphylla</i>				Ht: 6-12". White, bottlebrush-like flowers from May-June. Dried crushed leaves release sweet aroma. Leaves remain through winter as skeletons. Pollinated by wind. Needs consistently moist, rich humus. Uses: woodland setting.	BAND POT	\$4.00
	Violet, Early Blue <i>Viola adunca</i>				Ht: To 4". Broadly triangular leaves, blue to violet flowers which are stemless early in the season and later develop stems. Blooms April through June. Edible.	BAND POT	\$4.00
	Violet, Pioneer (yellow) <i>Viola glabella</i>				Ht: To 1' X Sp: To 15". Deciduous herbaceous perennial. Yellow flowers held above heart-shaped foliage in the late spring/early summer. Best in moist, well-drained soil in partial to full shade. Uses: woodland garden, container, border.	BAND POT	\$4.00
NEW	Waterleaf, Pacific <i>Hydrophyllum tenuipes</i>				Ht: 12'-30" Herbaceous plant spreads by rhizomes. Flowers mid-spring-mid-summer. Large leaves are deeply cut, with large lobes. Found in shaded, moist areas along streams and in woods. Good for groundcover in shaded areas. Leaves and rhizomes are edible.	3.5" Pot	\$3.00
	Yarrow <i>Achillea millefolium</i>				Ht: 1-3' X Sp 1-3'. Rhizomic, mat-forming perennial. Flowers on short spikes above leaves. Well drained soil in full sun. Uses: Copttge/herb gardens, rock garden, dried flowers	3.5" Pot	\$3.00
FERNS							
		Sun/Shade	Moisture	Wildlife	Description	Size	Price
NEW	Coastal Wood Fern <i>Dryopteris expansa</i>				Ht: To 3' X Sp: To 4'. Deciduous fern. Finely cut fronds of deep green. Prefers moist, acidic soil in shade. Uses: riparian, bank stabilization, en masse in woodland setting.	4" round	\$5.00

	Deer Fern <i>Blechnum spicant</i>			 Forage	Ht: To 16" X Sp: To 20". Evergreen fern. Spreading/arching fronds. Prefers loose, loamy, acidic soil with regular water in shade. Uses: woodland, understory, container, en masse, by water feature. Winter forage for deer.	4" POT 1 GAL	\$5 \$7
NEW	Leather Fern (Leathery Polypody) <i>Polypodium scolieri</i>				Evergreen with thick, leathery leaves that can grow to 28" long and 7" wide.. Part sun to shade and moist, (not wet) soil. Most attractive and most difficult to grow of native Licorice Ferns. Plant it on tree trunks, stumps, or logs in the shady woodland garden or among the moist rocks of a water featuree.	4" square	\$5.00
	Licorice Fern <i>Polypodium glycyrrhiza</i>				Ht: To 2'. Spreads by rhizomes. Evergreen fern. Fronds resemble small sword ferns. Prefers shade and moisture. Uses: bank stabilization, by water feature, moist/shady border, small-scale woodland. NOTE: Goes dormant in summer.	4" SQ 1 GAL	\$5 \$7
	Licorice Fern Log <i>Polypodium glycyrrhiza</i>				Ht: To 2'. Spreads by rhizomes. Evergreen fern. Fronds resemble small sword ferns. Prefers shade and moisture. Use by water feature, moist/shady border, small-scale woodland. NOTE: Goes dormant in summer, but planted in a tray and kept moist, it will not go dormant.	LOG	\$15.00
	Maidenhair, Western <i>Adiantum aleuticum</i>				Ht: To 2.5'. Finely cut fronds that are bright green, fan-shaped held up by thin, wiry, dark stems. Protect from snails and slugs. Needs steady moisture. Uses: excellent choice for bog gardens, pots on deck in shade with native plants.	4" SQ 1 GAL	\$5 \$7
	Maidenhair Spleenwort <i>Asplenium trichomanes</i>				Hardy small fern that grows in rocky crevices in full or part shade. Fronds are 3-10 inches but sometimes are longer. Once established it is easy to grow in dry shade. Grows fastest in moist well-drained soil but will grow in most soil types except waterlogged soil. Drought tolerant.	4" Square	\$5.00
NEW	Oak Fern <i>Gymnocarpium dryopteris</i>				Ht: To 8". Deciduous fern. Triangular lime green fronds spread by rhizomes. Needs moist, acidic soil in shade. Uses: ground cover in woodland setting, by stream banks.	4" Round	\$5.00
	Sword Fern <i>Polystichum munitum</i>				Ht: To 4'. Evergreen fern. Leathery, shiny dark green fronds. Prefers rich, moist soils in shade but can sustain some sun and droughty conditions. Uses: cut for floral arrangements, en masse in woodland setting, bank stabilization.	5" 1 GAL 2 GAL	\$5 \$7 \$11
	OTHER						
	OSU Rain Garden Guide						\$ 4.95

-	Plants of the Pacific Northwest						\$ 25.00
	Protective Mesh Tubes with Bamboo Stakes						\$ 2.00